

K4i

FAST TARGET ACQUISITION WITH 4 X MAGNIFICATION



K A H L E S

The K4i has been designed for the toughest demands and is optimised for fast target acquisition and a maximum overview at short to medium distances.

PRODUCT HIGHLIGHTS

- 4 x optics with extra large exit pupil, 91 % light transmission and diopter compensation
- Durable prism design with illuminated reticle, continuously adjustable
- Precise click adjustment 1.5 cm/100 m
- Ergonomic design and rugged construction
- Three integrated Picatinny (MIL STD 1913) rails for attaching accessories
- Includes integrated Picatinny mounting

TECHNICAL DATA

Magnification:	4
Objective lens diameter:	30 mm
Exit pupil:	7.5 mm
Eye relief:	95 mm
Field of view:	9.1 m/100 m
Diopter compensation:	+2 / -3.5 dpt
Twilight factor (DIN 58388):	11.0
Impact correction per click:	.15 MRAD
Adjustment range (E/W):	2.0 / 2.0 m/100 m
Parallax adjustment:	100 m
Length:	177 mm
Weight:	680 g
Illuminated:	Yes
Warranty:	10 years


FEATURES



Adjustment direction CCW




MIL



Windage right

RETICLES / SUBTENSIONS



Circle Dot