#### K18i-2

# THE MATCH WINNER – WITH 50-METER FIELD OF VIEW





The unparalleled 50-m field of view of the K18i-2 sets the standard for IPSC and 3-Gun matches. With 8x zoom, true 1.0x magnification and an extra-bright illuminated reticle with the unique MAX LIGHT function, it is optimised for competition in every detail.

#### **PRODUCT HIGHLIGHTS**

- Unparalleled 50-m field of view
- 8x zoom and true 1.0x magnification
- 2 sizes of integrated throw lever with freely selectable position
- Extra-bright day/night illuminated reticle in 2nd focal plane with MAX LIGHT function for extreme backlight situations
- 3GR reticle designed with pro shooters especially for IPSC and 3-Gun

## **TECHNICAL DATA**

Magnification:	1-8
Objective lens diameter:	24 mm
Exit pupil:	8,0 - 2,97 mm
Eye relief:	95 mm
Field of view:	50,0 - 6,2 m/100 m
Diopter compensation:	+2 / -3 dpt
Twilight factor (DIN 58388):	2.9 - 13.9
Impact correction per click:	.1 MRAD
Adjustment range (E/W):	2,4 / 2,4m/100m
Parallax adjustment:	100 m
Tube diameter:	34 mm
Length:	300 mm
Weight:	640 g
Focal plane:	2
Illuminated:	Yes
Warranty:	10 Years

### **FEATURES**











 $2nd\ focal\ plane$ 

Main tube 34 mm

Adjustment direction CW

MIL

MAX LIGHT

## RETICLES / SUBTENSIONS



3GR