### K18i

#### THE MATCH WINNER





Optimized for 3-Gun and IPSC matches, the K18i with 8 x zoom features an ultra-wide field of view, specially designed, extra-bright illuminated reticles with unique MAX LIGHT function and an individually adjustable throw lever.

### **PRODUCT HIGHLIGHTS**

- Optimized for 3-Gun and IPSC matches
- Ultra-wide field of view, 8 x zoom and true 1 x magnification
- Integrated throw levers in 2 alternative sizes with infinitely adjustable positions
- Extra-bright day/night illumination in 2nd focal plane with MAX LIGHT function for extreme backlight situations
- Special reticles for 3-Gun and IPSC, designed with the support of recognized pro-shooters

## **TECHNICAL DATA**

Magnification:	1-8
Eye relief:	3.74 in
Field of view:	127.5 - 15.9 in/100 yds
Diopter compensation:	+2 / -3 dpt
Twilight factor (DIN 58388):	2.9 - 13.9
Impact correction per click:	.1 MRAD
Adjustment range (E/W):	86.4 / 86.4 in/100 yds   24.0 / 24.0 MILS   82.5 / 82.5 MOA
Parallax adjustment:	100 m
Parallax adjustment:  Tube diameter:	100 m 30 mm / 1.18 in
Tube diameter:	30 mm / 1.18 in
Tube diameter: Length:	30 mm / 1.18 in 11.81 in
Tube diameter: Length: Weight:	30 mm / 1.18 in 11.81 in 19.6 oz
Tube diameter: Length: Weight: Focal plane:	30 mm / 1.18 in 11.81 in 19.6 oz

### **FEATURES**











 $2nd\ focal\ plane$ 

Main tube 30 mm


Adjustment direction CW

MIL

MAX LIGHT

# RETICLES / SUBTENSIONS





3GR

IPSC