### K18i

#### THE MATCH WINNER





Optimised for IPSC and 3-Gun matches, the K18i with 8 x zoom features an ultra-wide field of view, specially designed, extra-bright illuminated reticles with unique MAX LIGHT function and an individually adjustable throw lever.

#### **PRODUCT HIGHLIGHTS**

- Optimised for IPSC and 3-Gun matches
- Ultra-wide field of view, 8 x zoom and true 1 x magnification
- Integrated throw levers in 2 alternative sizes with infinitely adjustable positions
- Extra-bright day/night illumination in 2nd focal plane with MAX LIGHT function for extreme backlight situations
- Special reticles for IPSC and 3-Gun, designed with the support of recognized pro-shooters

## **TECHNICAL DATA**

Magnification:	1-8
Objective lens diameter:	24 mm
Exit pupil:	8.1 - 3.0 mm
Eye relief:	95 mm
Field of view:	42.5 - 5.3 m/100 m
Diopter compensation:	+2 / -3 dpt
Twilight factor (DIN 58388):	2.9 - 13.9
Impact correction per click:	.1 MRAD
Adjustment range (E/W):	2.4 / 2.4 m/100 m
Parallax adjustment:	100 m
Tube diameter:	30 mm
Length:	300 mm
Weight:	555 g
Focal plane:	2
Illuminated:	Yes
Warranty:	10 years

### **FEATURES**











 $2nd\ focal\ plane$ 

Main tube 30 mm


Adjustment direction CW

MIL

MAX LIGHT

# RETICLES / SUBTENSIONS





3GR

IPSC