

K18i-2

THE MATCH WINNER –
WITH 150 ft FIELD OF VIEW



The unparalleled 150 ft field of view of the K18i-2 sets the standard for 3-Gun and IPSC matches. With 8x zoom, true 1.0x magnification and an extra-bright illuminated reticle with the unique MAX LIGHT function, it is optimised for competition in every detail.

PRODUCT HIGHLIGHTS

- Unparalleled 150 ft field of view
- 8x zoom and true 1.0x magnification
- 2 sizes of integrated throw lever with freely selectable position
- Extra-bright day/night illuminated reticle in 2nd focal plane with MAX LIGHT function for extreme backlight situations
- 3GR reticle designed with pro shooters especially for 3-Gun and IPSC

TECHNICAL DATA

Magnification:	1-8
Exit pupil:	0.31 - 0.11 in
Eye relief:	3.74 in
Field of view:	150.0 - 18.57 in/100 yds
Diopter compensation:	+2 / -3 dpt
Twilight factor (DIN 58388):	2.9 - 13.9
Impact correction per click:	.1 MRAD
Adjustment range (E/W):	86.4 / 86.4 in/100 yds 24.0 / 24.0 MILS 82.5 / 82.5 MOA
Parallax adjustment:	100 m
Tube diameter:	34 mm / 1.34 in
Length:	11.81 in
Weight:	22.5 oz
Focal plane:	2
Illuminated:	Yes

FEATURES



2nd focal plane



Main tube 34 mm



Adjustment direction CW




MIL



MAX LIGHT

RETICLES / SUBTENSIONS



3GR